

Medium	Temp.°C	Nitril-Softline	Hygiene
Score (Effect) : 1: None, 2: Minor, 3: Significant, 4: Severe.			
Acetaldehyde			
	with acetic acid, 90/10%	20	4
Acetaldehyde, pure	20	4	1
Acetamide	20	1	1
Acetic acid anhydride	20	4	1
Acetic acid anhydride	80	4	-
Acetic acid ethyl ester	20	4	4
Acetic acid, glacial	60	4	2
Acetic ester	20	4	2
Acetone	20	4	1
Acetophenone	20	-	-
Acetylene	20	1	1
Acetylene	60	1	1
Acid for accumulators (sulfuric acid)	60	4	1
Acrylic acid ethyl ester	20	4	2
Acrylic acid ethyl ester	60	4	-
Acronal-Dispersion	20	-	-
Acrylonitrile	20	4	4
Acrylonitrile	60	4	-
Adipic acid, aqueous	20	1	1
Air, oil-free,	100	1	1
Air, oil-free,	150	2	2
Air, oil-free,	200	4	4
Air, oil-free,	250	4	4
Air, pure	80	1	1
	containing oil	80	1
Aircraft motor fuels			
	JP 3 (MIL-J-5624)	20	1
	JP 4 (MIL-J-5624)	20	1
	JP 4 (MIL-J-5624)	150	4
	JP 5 (MIL-J-5624)	20	4
	JP 5 (MIL-J-5624)	150	4
	JP 6 (MIL-J-5624)	20	1
	JP X (MIL-F-25604)	20	1
Alcohol	20	2	1
Allyl alcohol	80	2	1
Allyl chlorite	20	4	4
Alum, aqueous	60	4	1
Alum, aqueous	100	1	1
Aluminium hydroxide	20	1	1
Aluminium phosphate, aqueous	20	1	1
Aluminium salts	20	1	1
Aluminum acetate, aqueous	20	2	1
Aluminum chloride	20	1	1
Aluminum fluoride	20	1	1
Aluminum nitrate	20	1	1

Aluminum sulphate		20	1	1
Aluminum sulphate, aqueous		60	1	1
Aluminum sulphate, aqueous		100	1	1
Ammonia water (Ammonia solution)		40	1	1
Ammonia, 100%		20	2	1
	gas, hot	80	2	1
	gas, cold	20	1	1
	aqueous	20	1	1
Ammoniacal liquor		40	1	4
Ammonium acetate, aqueous		60	1	1
Ammonium carbonate		60	1	1
Ammonium chloride		60	1	1
Ammonium chloride		20	1	1
Ammonium fluoride, aqueous		20	1	1
Ammonium fluoride, aqueous		60	1	1
Ammonium fluoride, aqueous		100	1	1
Ammonium hydroxide		20	4	1
Ammonium nitrate, aqueous		60	1	1
Ammonium nitrate, aqueous		100	1	1
Ammonium nitrite		20	1	1
Ammonium phosphate, aqueous		60	1	1
Ammonium salts		20	1	1
Ammonium sulfate		60	1	1
Ammonium sulfate, aqueous		20	1	1
Ammonium sulfate, aqueous		100	1	1
Ammonium sulfide, aqueous		60	1	1
Ammonium sulfide, aqueous		100	2	1
Amyl acetate		20	4	1
Amyl alcohol		20	1	1
Amyl alcohol		60	2	1
Amyl borate		20	1	4
Amyl Chloronaphtalene		20	4	4
Amyl naphtalene		20	4	4
Amylchloride		20	4	4
Aniline		60	4	-
Aniline dyes		20	4	1
Aniline hydrochlorate		20	2	2
Aniline hydrochlorate		100	4	-
Aniline hydrochloride		20	2	2
Animal fats		20	1	2
Anisole		20	4	-
Anone		20	4	4
Anthraquinone sulphonic acid, aqueous		30	2	1
Anti-chlor		20	2	1
Anti-freeze (for motor cars)		60	1	1
Antimony chloride, aqueous		20	1	1
Antimony trichloride, water-free		60	1	1
Argon gas		20	1	1
Arsenic acid		20	1	1

Arsenic acid, aqueous		20	-	1
Arsenic acid, aqueous		60	1	1
Arsenic acid, aqueous		100	1	1
Asphalt		100	-	-
ASTM C Fuel				
	Butyl hydroperoxide + tertiary	60	-	-
ASTM fuel A		20	1	-
ASTM fuel A		60	1	4
	B	20	2	-
	B	60	2	4
	C	20	4	-
	C	60	4	4
Bardol B		20	4	4
Barium carbonate		20	1	1
Barium chloride		20	1	1
Barium hydroxide, aqueous		60	1	1
Barium salts, aqueous		20	1	1
Barium salts, aqueous		60	1	1
Barium sulfide		20	1	1
Barium sulphate		20	1	1
Bayol D		20	1	4
	35	20	1	4
BC 48 (Lubricating oil for drilling)		20	1	-
Beef-tallow (tallow)		60	1	4
Beef-tallow emulsion, sulphurised		20	1	4
Beer		20	1	1
Beet oil		20	1	1
Benzaldehyde		20	4	1
Benzaldehyde, aqueous		60	4	2
Benzene		20	4	4
Benzene sulphonic acid 10%		20	4	4
Benzine		20	1	4
Benzine		60	1	4
Benzoate benzyl ester		20	4	4
Benzoate metyl ester		20	4	4
Benzochloride		20	4	1
Benzochloride		20	4	4
Benzoic acid, aqueous		60	1	1
Benzophenone		20	-	2
Benzyl alcohol		20	4	-
Benzyl alcohol		60	-	-
Bitumen		60	4	-
Black Point 77		20	1	1
Black-lye		20	2	2
Black-lye		100	2	1
Blast furnace gas		100	2	2
Bleach solution		60	4	1
Bleach solution		20	4	1

Bleaching solution		20	4	1
Bone greases		20	1	4
Bone oil		60	1	4
Borax, aqueous		60	1	1
Bordeaux Mixture				
Boric acid, aqueous		60	1	1
Boron fluids (HEF)		20	2	4
Brake fluid AteDOT 3		20	4	1
Brake fluid AteDOT 4		100	4	1
Brake fluids (Glykol ether)		80	4	1
Bray GG-130		20	2	4
Brayco 719-R (VV-H-910)		20	2	1
	6085A)	20	2	4
	910	20	2	1
Bret 710		20	2	1
Bret 710		40	1	1
Bromine		20	4	2
Bromine fumes		20	4	-
Bromine pentafluoride		20	4	4
Bromine trifluoride		20	4	4
Bromine water, cold, saturated		20	4	-
Bromine, aqueous		20	4	-
Bromobenzene		20	-	-
Bromochloro Trifluoroethane		20	4	4
Butadiene		60	1	4
Butandiol		20	1	1
Butane, gaseous		20	1	4
Butanediol, aqueous		20	1	1
Butanediol, aqueous		60	1	1
Butanol (Butyl alcohol)		20	1	1
Butanol (Butyl alcohol)		50	1	1
Butanol (Butyl alcohol)		60	4	1
Butanol, aqueous		20	1	1
Butanol, aqueous		60	4	1
Butanone (MEK)		20	4	1
Butantriol, aqueous		20	1	1
Butantriol, aqueous		60	4	1
Butter		20	1	-
Butter		80	1	-
Butyl acetate		20	4	2
Butyl acetyl ricinoleate		20	2	1
Butyl acrylate		20	4	4
Butyl amine		20	4	4
Butyl benzoate		20	-	1
Butyl carbitol		20	4	1
Butyl cellosolve		20	4	2
Butyl cellosolve adipate		20	4	2
n-Butyl ether		20	2	4
Butyl glycol		20	2	2
Butyl mercaptan		20	4	4

Butyl oleate	20	2	2
Butyl phenol	20	4	4
Butyl stearate	20	2	2
Butylbenzocatechin	20	4	2
Butylene glycol	60	1	1
Butylene, liquid	20	1	-
Butyr aldehyde	20	-	2
Butyraldehyde	20	4	2
Butyric acid butyl ester	20	4	1
Butyric acid, aqueous	20	1	-
Calcination gases, dry	60	4	1
Calcium acetate	20	1	1
Calcium bisulfite, aqueous	20	1	1
Calcium carbonate	20	1	1
Calcium chloride, aqueous	60	1	1
Calcium chloride, aqueous	100	1	1
Calcium cyanide	20	1	1
Calcium hydroxide, aqueous	20	1	1
Calcium hypochlorite, aqueous	60	4	1
Calcium nitrate, aqueous	40	1	1
Calcium oxide, aqueous	20	1	1
Calcium phosphate, aqueous	20	1	1
Calcium silicate	20	1	1
Calcium sulfite	20	1	1
Calcium sulphide	20	1	1
Calcium thiosulfate	20	2	1
Caliche liquors	20	1	1
Calypso grease WJA	20	1	-
Camphor	20	1	4
Caproic aldehyde	20	-	2
Carbamate	20	4	2
Carbitol	20	2	2
Carbolic acid	20	4	4
Carbon dioxide, dry	60	1	1
Carbon dioxide, wet	20	1	1
Carbon disulphide			
(carbon sulphide)	20	4	4
Carbon monoxide	20	1	1
Carbon oxides, dry	60	1	1
humid	20	1	1
Carbon sulphide	20	4	4
Carbon tetrachloride	20	4	4
Carbon tetrachloride	60	4	4
Carbon tetrachloride			
(Carbon tetrachloride)	20	4	4
(Carbon tetrachloride)	60	4	4
Carbonic acid	20	1	1
Castor oil	20	1	4

Castor oil		20	1	2
Caustic lye				
	10%	20	2	1
	20%	20	2	1
	25%	20	2	1
	50%	20	2	1
	60%	50	2	1
Caustic lye, 50%		60	2	1
Cellosolve		20	-	2
Cellugard		20	1	1
Cellulose acetate		20	1	2
Cellulube A60		20	4	2
	90, 100, 150, 220, 300, 500	20	4	1
Cellutherm 2505A		20	2	4
Cetane		20	1	4
Cetyl alcohol		20	1	1
Chloral hydrate, aqueous		60	4	2
Chloramine, aqueous		20	1	1
Chlorax		20	2	2
Chlordane		20	2	4
Chlordodecane		20	4	4
Chlorextol		20	2	4
Chloric acid, aqueous		80	4	2
	aqueous 20%	60	4	1
Chlorine acetic acid		40	1	1
Chlorine acetic acid		60	2	1
Chlorine acetic acid ethyl ester		20	4	4
Chlorine dioxide		20	4	4
	(8% Cls as NaCl ₂ in solution)	20	4	4
Chlorine, gaseous, dry		20	4	1
	gaseous, humid	20	4	1
	liquid	20	4	1
Chlorine-water, saturated		20	4	1
Chloro carbon dioxide ethyl ester		20	4	4
1 - Chloro-1-nitro ethane		20	4	4
Chloroacetone		20	4	1
Chlorobenzene		20	4	4
Chlorobromo methane		20	-	2
Chlorobutadiene		20	4	4
Chloroethanol		60	4	2
0 - Chloroethylbenzene		20	4	4
Chloroform		20	4	4
Chloromethyl		20	4	4
0 - Chloronaphtalene (o)		20	4	4
Chloroprene		20	4	4
Chlorosulfonic acid		20	4	4
Chlorothene		20	4	4
Chlorotoluene		20	4	4

Chlorotrifluoride		20	4	4
0 - Chlorphenol		20	4	4
Cholic solution		20	2	2
Chrome alum		20	1	1
Chrome plating solutions		20	4	1
Chromic acid		20	4	2
Chromic acid, aqueous		60	4	2
Chromic acid/sulfuric acid/				
Circo Light Process oil		20	1	4
Citric acid,		20	1	1
	aqueous	20	1	1
	aqueous	60	1	1
Citric-juice, undiluted,		20	1	-
Citronella oil		20	1	-
Citrus oils		20	2	-
City Service #65, #120, #250		20	1	4
City Service Pacemaker #2		20	1	4
City services Koolmotor-AP				
Clophen A 60			2	4
Clophen T 64		100	4	-
Clophen types A		100	4	-
Cobalt chloride, aqueous		20	1	1
Cocoa butter		20	4	4
Coconut butter		80	1	4
Coconut fat alcohol		20	1	2
Coconut oil		60	1	4
Cod-liver oil		20	1	2
Coffee		20	1	1
Cokery gas		20	4	4
cokery gas (luminescent gas), hot			4	4
Colamin (Ethanolamin)		20	4	2
Color thinner		20	4	4
Colza oil		20	2	1
Compressed air supply		20	1	1
Concentrated hydrofluoric acid		20	-	2
Convelex 10 (ortho-Chlorophenol)		20	4	4
Coolanol (Monsanto), silicone oil,		20	1	4
Copper (1)-chloride, aqueous		20	1	1
Copper (1)-chloride, aqueous		50	4	1
Copper acetate, aqueous		20	2	1
Copper cyanide		20	1	1
Copper fluoride, aqueous		50	1	1
Copper nitrate, aqueous		60	1	1
Copper sulfate, aqueous		60	1	1
Copper-limestone mixture		20	2	1
Corn oil		20	1	2
Corn-seed oil		60	1	4
Cottonseed oil		20	1	2
Creosol acid		20	4	4
Creosol, aqueous		45	4	4

Creosol, aqueous	20	1	4
Croton aldehyde	20	-	1
Crude oil	20	2	4
Cumene	20	4	4
Cut of lead tetraethyl	20	2	4
Cyclohexane	20	1	4
Cyclohexane	50	-	4
Cyclohexanol	20	1	4
Cyclohexanone	20	4	4
Cyclohexylamine	20	4	4
Cymene	20	4	4
Decahydronaphthalin (Decalin)	20	4	4
Decahydronaphthalin (Decalin)	60	4	4
Decane	20	1	4
Delco Brakes fluid	20	2	1
Denatured alcohol	20	1	1
Desmodur T	20	4	4
Desmodur T 80	20	4	4
Desmophen 2000	80	1	4
Desmophen 2200	20	1	1
Detergent	100	1	1
Detergent, synthetic	60	1	1
Development bath (photo)	20	1	1
Dextrine, aqueous	20	1	1
Dextrine, aqueous	60	1	1
Dextron (oil ATF)	20	1	4
Diacetone	20	4	1
Diacetone alcohol	20	2	1
Diazinon (insecticide)	20	4	2
Dibenzyl ether	20	4	2
Dibenzyl sebacate	20	4	1
Dibromethyl benzene	20	4	4
Dibutyl phthalate	20	4	-
Dibutyl phthalate	60	4	-
Dibutyl sebacate	20	4	2
Dibutyl sebacate	60	4	4
Dibutylamine	20	4	4
Dibutylether	20	4	2
Dichloroacetic acid	60	4	1
Dichloroacetic acid methyl ester	60	4	1
Dichloroacetylene	20	-	-
O - Dichlorobenzene	20	4	4
P - Dichlorobenzene	20	4	4
Dichlorobutylene	20	4	4
Dichloro-ethane	20	4	4
Dichloroethylene	20	4	4
Dichloro-ethylene	20	4	-
Dichloro-isopropyl ether	20	4	4
Dichloro-methane	20	4	4
Dicyclohexylamine	20	2	-

Diesel fuel		20	1	4
Diesel fuel		60	1	4
Diesel fuel		100	-	4
Diesel oil		20	1	4
Diethyl benzene		20	4	4
Diethyl ether		20	4	2
Diethylamine		20	2	1
Diethylen glycol		20	1	1
Diethylen sebacate		20	4	2
Difluorodibromometane		20	4	2
Diglycol acid, aqueous		60	2	1
Dihexyl phtalate		20	4	4
Dihexyl phtalate		60	4	-
Diisobutyl ketone		20	4	1
Diisobutyl ketone		60	4	1
Diisobutylene		20	1	4
Diisooctyl sebacate		20	2	2
Diisopropyl benzene		20	4	4
Diisopropyl ketone		20	4	1
2,2 - 2,3 - Dimethyl butane		20	1	4
Dimethyl formamide		60	4	2
Dimethyl hydrazine		20	2	1
Dimethyl ketone (acetone)		20	4	1
2,4-Dimethyl pentane		20	1	4
Dimethyl phthalate, DMP		20	4	2
Dimethylamine		20	4	1
Dimethylaniline		20	4	1
Dimetyl ether		20	4	1
Dinitro toluene		20	4	4
Dinonyl phthalate		30	4	-
Diocetyl phthalate		60	4	-
Diocetyl sebacate		60	4	-
Dioxane		60	4	2
Dioxolane		20	4	2
Dipentene		20	2	4
Diphenyl		20	4	4
Diphenyl ether		20	4	4
Diphenyl oxides		20	4	4
Diphenyl oxides		100	-	-
Dipropylene glycol		20	4	4
Dodecyl alcohol		20	1	1
DOT 4		50	4	1
DOT 5		100	4	1
Dow Chemical 50-4		20	-	1
Dow Corning				
	-3	20	1	1
	-4	20	1	1
	-5, 11, 33, 44, 55, 200, 510, 550	20	1	1
	-704	20	2	1

	-705	20	2	1
	-710, 1208, 4050, 6620	20	1	1
	0	20	1	1
	0	20	1	1
	0	20	1	1
Dow Guard		20	1	1
Dowtherm heat-bearer-oil AT		20	4	4
Ecubsol hydrotherm 36		20	1	1
Elco 28 -EP lubricant		20	1	4
Epichlorhydrin		20	4	2
Epoxy resins		20	-	1
Esam 6 Fluid		20	1	4
Esso Fuel 208		20	1	4
Esso gear oil type A		20	1	4
	WS2812 (MIL-L- 7808)	20	1	4
	XP90-EP lubricant	20	1	4
Esso Golden Gasoline		20	2	4
Esso Motor Oil		20	1	4
Esso Univis No. 40 (hydraulics oil)		20	1	4
Esstic, 42, 43,		20	1	4
ET378		20	4	-
ET588		20	2	1
Ethane		20	1	4
Ethanol (Ethyl alcohol, Spitit)		20	1	1
Ethanol (Ethyl alcohol, Spitit)		60	4	1
Ethanol (Ethyl alcohol, Spitit)		80	4	1
Ethanol (spirit)				
	with acetic acid	20	4	1
Ethanol amine		20	2	2
Ethers		20	4	4
Ethyl acetate		20	4	2
Ethyl acetate		60	4	4
Ethyl acetoacetate		20	4	2
Ethyl acrylate		20	4	2
Ethyl alcohol (Ethanol)		20	1	1
Ethyl alcohol (Ethanol)		60	4	1
Ethyl alcohol (Ethanol)		80	4	1
Ethyl benzene		20	4	4
Ethyl benzene		20	4	4
Ethyl benzoate		20	4	1
Ethyl cellulose		20	2	2
Ethyl chloride		20	2	2
Ethyl chlorocarbonate		20	4	2
Ethyl chloroformate		20	4	2
Ethyl ether		20	4	2
Ethylene chlorhydrin		20	4	2
Ethylene chloride		20	2	2
Ethylene diamine		60	4	1

Ethylene glycol		60	1	1
Ethylene glycol		100	2	1
Ethylene oxide		20	4	4
Ethylene trichloride		20	4	4
Exhaust fumes				
	Containing hydrofluoric acid, traces	60	1	1
	Containing carbon monoxide	60	1	1
	Containing carbon dioxide	60	1	1
	Containing nitrose, traces	60	-	1
	Containing nitrose, traces	80	-	1
	Containing hydrochloric acid	60	2	1
	Containing hydrochloric acid	80	4	1
	Containing sulfur dioxide	60	2	1
FAM-Test fuels				
	DIN 51604-A	20	1	4
	DIN 51604-B	20	2	4
Fatty acids		20	2	4
Fatty acids		100	2	-
Fatty alcohol		20	1	2
FC 43 Heptacosofluortributilamina		20	1	1
FC 75		20	1	1
Fermentation mixture		60	4	1
Ferric (III)-chloride, aqueous		40	1	1
Ferric nitrate		20	1	1
Ferric sulfate, aqueous		20	1	1
Fertilizing salt, aqueous		60	1	1
Fir needle oil		20	2	4
Firedamp		20	1	2
Fish oil		20	1	2
Flue gas		60	-	1
FLUISIL S25		80	1	-
Fluoride hydrogen		20	4	1
Fluorine ammonium, aqueous		20	1	1
Fluorine ammonium, aqueous		100	1	1
Fluorine benzene		20	4	4
Fluorine boric acid		20	2	2
Fluorine carbon oils		100	-	-
Fluorine silicic acid		20	2	1
Fluorine silicic acid		100	2	1
Fluorine, dry		60	4	4
Fluorolub		20	1	1
Formaldehyde		20	1	1
Formaldehyde, aqueous		60	2	1

Formamide		60	4	1
Fossil and brown coal based		20	4	4
Freon				
	11	20	2	4
	12	20	1	2
	13	20	1	1
	13 B1S	20	1	1
	14	20	1	1
	21	20	4	4
	22	20	4	1
	31	20	4	1
	32	20	1	1
	112	20	2	4
	113	20	1	4
	114	20	1	1
	114 B2S	20	2	4
	115	20	1	1
	142b	20	1	1
	152A	20	1	1
	218	20	1	1
	C316	20	1	1
	C318	20	1	1
	502	20	2	1
	BF	20	2	-
	MF	20	2	-
	PCA	20	1	4
	TA	20	1	1
	TC	20	1	2
	TF	20	1	-
	TMC	20	2	2
	TP35	20	1	1
	TWD602	20	2	1
Freon 12 and oil ASTM 2				
	Mixture 50:50	20	1	4
Freon 12 and Suniso 4 GS				
	Mixture 50:50	20	1	4
Freon 22 and oil ASTM 2				
	Mixture 50:50	20	4	4
Fruit juices		20	1	1
Fruit juices		100	2	1
Fuel				
	Type I, MIL-S-3136,	20	1	4
	Type II, MIL-S-3136,	20	2	4
	Type III, MIL-S-3136,	20	1	4
Fumaric acid		20	1	-
Furan		20	4	4
Furfural		20	4	4
Furfuryl alcohol		20	4	2

Furyl carbinol		20	4	2
Fyrquel 90, 100, 150, 220, 300, 500		20	4	1
Fyrquel A 60		20	4	2
Gallic acid		20	2	2
Galvanic baths		20	4	4
Gas oil		80	1	4
Gasohol		20	4	4
Gasoline		20	4	4
Gear oil		20	1	4
Gear oil		110	1	4
Gear oil		20	1	2
Gear oil 140-E.P.Lube		20	1	4
Gear oil, ATF,		20	1	4
Gear oil, ATF,		110	1	4
Gear, EP (Hypoid),		20	1	4
Gear, EP (Hypoid),		110	4	4
Gelatin		20	1	1
Gelatin, aqueous		40	1	1
Generator gas		60	4	4
Girling brake fluid		20	2	1
Glauber's salt, aqueous		20	1	1
Glucose		20	1	1
Glucose, aqueous		80	1	1
Glue		20	1	1
Glue		80	1	1
Glycerin		20	1	1
Glycerin chlorydrin		60	-	2
Glycerin triacetate		20	2	1
Glycerin, aqueous		100	1	1
Glycocoll, aqueous 10%		40	2	1
Glycol acid, aqueous, 37%		20	1	1
Glycol, aqueous		100	1	1
Glycols		20	1	1
Grape sugar, aqueous		20	1	1
Grape sugar, aqueous		60	1	1
Grease mineral				
	animal and	80	1	4
	vegetable	80	1	4
Green Liquor		20	2	1
Gulf Edurance Oils		20	1	4
Gulf FR Fluida (emulsion)		20	1	4
Gulf FR G-Fluids		20	1	1
Gulf FR -P-Fluids		20	4	2
Gulf Harmony Oils		20	1	4
Gulf High Temperature Grease		20	1	4
Gulf legion Oils		20	1	4
Gulf Paramount Oils		20	1	4
Gulf Security Oils		20	1	4
Gulfcrown Grease		20	1	4
Halothane (narcotic)		20	4	4

Halowax oil		20	4	4
Heat conductor oil E		20	4	4
209 heat conductor oils,				
	50% solution	20	2	1
Heating oil		20	1	4
Heavy fuel		60	2	-
Heavy water		20	1	1
HEF 2		20	2	4
Helium gas		20	1	1
Henkel P 3 solution		100	1	1
Heptane		20	1	4
Heptane		60	1	4
Hexachloro butadiene		20	4	-
Hexachloro cyclohexane		20	-	-
Hexaldehyde		20	4	-
Hexane		60	1	4
Hexantriol		20	1	1
Hexene		20	2	4
Hexyl alcohol		20	1	2
Highly inflammable				
Pressure-liquid of the groups:				
	HFA	20	1	4
	HFB	20	1	4
	HFC	20	1	1
	HFD... R	20	4	1
	HFD... S	20	4	4
Highly inflammable				
Pressure-liquid of the group:				
	HFD... T	20	4	4
	Hilo MS No. 1	20	4	1
	Houghto-Safe			
	271 (water/glycol, HFC)	20	1	1
	620 (water/glycol, HFC)	20	1	1
	1010 (Phosphate esters, HFD-R)	20	4	1
	1055 (Phosphate esters, HFD-R)	20	4	1
	1120 (Phosphate esters, HFD-R)	20	4	1
	5040 (water/oil emulsion)	20	1	4
Hydraulic liquids				
Hydraulic oils H and HL		80	1	4
Hydraulic oils HLP		80	1	4
Hydrazine		20	1	1
Hydrazine hydrate		20	2	1
Hydrobromic acid, aqueous		60	2	1
Hydrochloric acid 10%		20	2	1
Hydrochloric acid 10%		80	4	1
	30%	20	4	1

	37%, fuming	20	4	1
	concentrate	20	4	1
(Hydrochloric acid)		70	4	1
Hydrochloric acid gas		60	4	1
Hydrocyanic acid (prussic acid)		20	2	1
Hydro-Drive				
	MIH 10	20	1	4
	MIH 50	20	1	4
Hydrofluoric acid, <65%		20	2	2
Hydrofluoric acid, <65%		80	4	2
Hydrofluoric acid, >65%		20	2	2
Hydrofluoric acid, >65%		80	4	2
Hydrogen gas		20	1	1
Hydrogen gas		100	1	1
Hydrogen peroxide,				
	aqueous	20	4	1
	90%	20	4	1
Hydrolube (Water/Ethylene Glycol)		20	1	1
Hydroquinone, aqueous		20	1	1
Hydrosulfite, aqueous		40	2	1
Hydroxyde acetic acid		20	1	1
Hydroxylamine sulfate, aqueous		35	1	1
Hydyne		20	2	1
Hyjet IV (replaces III, S, W)		20	4	1
Hypochlorous acid		20	4	2
Industron FF44, FF48, FF53, FF80		20	1	4
Ink		20	1	1
Iodine				
	JP 3 (MIL-J-5624)	20	1	4
	JP 4 (MIL-J-5624)	20	1	4
	JP 4 (MIL-J-5624)	150	4	4
	JP 5 (MIL-J-5624)	20	4	4
	JP 5 (MIL-J-5624)	150	4	4
	JP 6 (MIL-J-5624)	20	1	4
	JP X (MIL-F-25604)	20	1	4
Iodine pentafluoride		20	4	4
Iodoform		20	-	1
Iso octane		20	1	4
Iso octane		50	1	4
Isobutyl alcohol		20	2	1
Iso-butyl N-butyrate		20	4	1
Isododecane		20	1	4
Isophorone		20	-	1
Isopropanol (Isopropyl alcohol)		60	2	1
Isopropyl acetate		80	4	2
Isopropyl acetate		100	-	1
Isopropyl benzene		20	4	4
Isopropyl chloride		20	4	4
Isopropyl ether		20	-	4

Isopropyl ether		60	4	-
Jawell Water (sodium hypochlorite)		20	2	2
Karbolineum		60	-	2
Karbolineum		80	4	4
KEL F liquid		20	1	1
Kerosene		20	1	4
Keystone No. 87HX-Grease		20	1	4
Lactam		20	2	1
Lactam		80	4	4
Lactic acid		20	1	1
Lactic acid		80	1	1
Lactic acid, aqueous 10%		40	1	1
Lactic acid, aqueous 10%		60	4	1
Lanoline (wool-fat)		60	1	4
Lard		20	1	2
Laughing gas		20	1	1
Lauric alcohol		20	1	2
Lavender oil		20	2	-
Lead acetate, aqueous		60	1	1
Lead acetate, aqueous		100	1	1
Lead nitrate, aqueous		20	1	1
Lead salts liquors		20	1	1
Lead sulfate		20	2	1
Lead tetraethyl		20	2	-
Lehigh				
	X1 169	20	1	4
	X1 170	20	1	4
Light lubricant		20	1	4
Light oil (raw benzol)		20	1	4
Ligroin				
	(Petroleum ether or benzine, substitute for turpentine oil)	20	1	4
Lime chloride, aqueous		60	4	1
Lindol, hydraulic liquid		20	4	1
Linoleic acid		20	2	-
Linseed oil		20	1	1
Linseed oil		60	1	2
Liqueurs		20	1	1
Liquid gas				
	(Propane, Butane, Propylene)	20	1	4
Liquid paraffin		20	1	4
Liquid paraffin		60	1	4
Liquimoly		20	1	4
Liquors (spirit)		20	2	1
Lithium bromide, aqueous		20	1	1
Lithium chloride, aqueous		20	1	1
Lubricant oils (petroleum-based)		20	1	4
Luminescent gas, benzol-free		20	1	4

Lyes, thinned	20	2	1
Machine oils, mineral	80	1	4
Magnesium chloride, aqueous	60	1	1
Magnesium chloride, aqueous	100	1	1
Magnesium hydroxide, aqueous	20	1	1
Magnesium salts	20	1	1
Magnesium sulfate, aqueous	100	1	1
Malathion (insecticide)	20	2	4
Maleic acid hydride	60	-	-
Maleic acid, aqueous	20	1	1
Maleic acid, aqueous	100	1	1
Malic acid	20	1	1
Margarine	60	1	4
Margarine	80	1	4
Menthol	20	1	4
Menthol	60	4	4
Mercury	60	1	1
Mercury chloride	20	1	1
aqueous	20	1	1
Mercury nitrate	20	1	1
Mercury salts, aqueous	60	1	1
Mercury steams	20	1	1
Mesityl oxide	20	-	2
Methacryl acid methylester	20	4	4
Methane	20	1	2
Methane	150	-	-
Methanoic acid	20	2	1
Methanoic acid, aqueous	60	4	2
Methanol (methyl alcohol)	20	1	1
Methanol (methyl alcohol)	60	2	1
Methoxybutanol	60	1	2
Methyl acetate	20	4	2
Methyl acetoacetate	20	4	2
Methyl acrylate	20	4	4
Methyl amine, aqueous	20	4	2
Methyl aniline	20	4	-
Methyl benzene	20	4	4
Methyl bromide	20	4	4
Methyl butyl ketone	20	4	1
Methyl carbonate	20	4	4
Methyl cellulose	20	2	2
Methyl chloride	20	4	4
Methyl ether (Dimethyl ether)	20	1	1
Methyl ethyl ketone (MEK)	20	4	2
Methyl formate	20	4	2
Methyl glycol	20	2	2
Methyl glycol acetate	20	4	1
Methyl isobutyl ketone	20	4	2
Methyl isopropyl ketone	20	4	2
Methyl methacrylate	20	4	4

Methyl oleate		20	4	2
2-Methylpentane		20	1	4
3-Methylpentane		20	1	4
Methyl phenyl ether (Anisole)		20	4	4
Methyl pyrrolidon		20	4	1
Methyl salicylate		20	4	1
Methyl sulfuric acid, aqueous		20	4	1
Methylcyclopentane		20	4	4
Methylene chloride		20	4	4
Milk		20	1	2
Milk of lime		80	4	-
Mineral oils		20	1	4
Mineral oils		100	1	4
Mineral oils		150	4	4
Mineral water		60	1	1
Mixed acid I				
	Sulfuric acid / Nitric acid / Water	20	4	1
Mixed acid II				
	Sulfuric acid / Phosphoric acid / Water	40	4	1
Mixture petrol/benzene, 70/30%,		20	2	4
	60/40%	20	4	4
	50/50%	20	4	4
Mixture petrol/benzene, 80/20%		20	2	4
MLO-7557		20	2	4
MLO-8200 HYDR.		20	2	4
MLO-8515		20	2	4
Mobil 24 DTES		20	1	4
Mobil Delvac 1100, 1110, 1120, 1130		20	1	4
Mobil gas WA 200, type AT,				
	Automatic transmission fluid	20	1	4
Mobil HF		20	1	4
Mobil Velocite C		20	1	4
Mobilnyvac 20 and 30		20	1	1
Mobiloil SAE 20		20	1	4
Mobiltherm 600		20	1	4
Mobilux		20	1	4
Molasses		20	1	-
Molasses		100	1	2
Mono bromobenzene		20	4	4
Monochloroacetic acid		20	4	1
Monochloroacetic acid ester		60	4	2
Monochloroacetic acid methyl ester		60	4	1
Monochlorobenzene		20	4	4
Monomethyl ether		20	1	4
Mononitrotoluene/Dinitrotoluene 40:60 Å		20	4	4
Monothanolamine		20	4	2

Morpholine		20	4	1
Morpholine		60	4	2
Motor oils		20	1	4
Motor oils		100	1	4
MSC 12		20	4	4
MSC 352		20	4	1
MSC 463		20	4	1
Mustard		20	1	1
Mustard-gas		20	1	1
Naftolen ZD		20	2	4
Naphtha		20	4	-
Naphthalene		60	4	4
Naphthenic acid		20	2	4
Naphtic acid		20	2	-
Natural gas		20	1	-
Natural gas, cleaned		20	1	2
Neon gas		20	1	1
Nevile-Winther acid		20	4	2
Nickel acetate, aqueous		20	1	1
Nickel chloride		20	1	1
Nickel chloride, aqueous		20	1	1
Nickel nitrate		20	1	1
Nickel sulfate		20	1	1
Nickel sulfate, aqueous		60	1	1
Nickel-ammonium sulfate solution		20	1	1
Nicotine, aqueous		20	1	1
Nitric acid				
	concentrated	80	4	4
	concentrated 65%	20	4	4
	fuming	20	4	4
	fuming	60	4	4
Nitric acid, thinned		80	2	2
	aqueous 10%	20	4	2
Nitro toluene		20	2	4
Nitrobenzene		20	4	4
Nitrobenzene		60	4	4
Nitrobenzine (testbenzine)		20	1	4
Nitrobenzine (testbenzine)		60	1	4
Nitroethane		20	4	2
Nitrogen		20	1	1
Nitrogen tetraoxide		20	4	4
Nitroglycerin		20	4	1
Nitroglycol		20	4	1
Nitroglycol, aqueous		20	4	1
Nitromethane		20	4	2
Nitropropane		20	4	2
Nitrose gases		20	4	1
Nitrous oxide (laughing gas)		20	1	2
Nut oil		20	1	4
Octachloro toluene		20	4	4

Octadecane		20	1	4
Octal		20	4	2
n-octane (o)		20	-	-
Octyl alcohol		20	2	1
Octyl cresol		20	-	4
Oil ASTM no.1		20	1	4
Oil ASTM no.1		100	1	4
Oil ASTM no.1		150	-	-
Oil ASTM no.2		20	1	4
Oil ASTM no.2		100	1	4
Oil ASTM no.2		150	-	-
Oil ASTM no.3		20	1	4
Oil ASTM no.3		100	1	4
Oil ASTM no.3		150	-	-
Oil ASTM no.4		100	2	4
Oil for transformers		60	1	4
Oil Texas 1500 Å		20	1	4
Oil-in-water emulsions HFA		70	1	4
Oil-in-water emulsions HFB		70	1	4
	Polyglycol Water HFC	70	1	1
	Phosphoric acid esters HFD	80	4	4
Oils for transformers				
	petroleum based	20	1	4
	not combustible	20	4	4
Oleic acids		20	2	4
Oleic acids		60	1	4
Oleum (fuming sulfuric acid)		20	4	2
Oleum, 10%,		20	4	2
Oleyl alcohol		20	1	1
Olive oil		60	1	2
Oronite				
	8200	20	2	4
	8515	20	2	4
OS 45 type III (OS45)		20	2	4
OS 45 type IV (OS45-1)		20	2	4
OS 70		20	2	4
Oxalic acid		100	4	1
Oxalic acid, aqueous		20	1	1
Oxalic acid, aqueous		60	1	1
Oxygen				
	liquid C	4	4	4
	gaseous, dry B	1	1	1
	gaseous approximately 100-200Å°C	4	2	1
Ozone		20	-	1
Ozone-air mixture		20	4	1
Palmitic oil		20	1	4
Palmitic oil		60	2	4

Palm-kernel oil acid		60	1	4
Paraffin		60	1	4
Paraffin		80	1	4
Paraffin emulsions		40	1	4
Paraffin wax, melted		50	1	1
Par-al-Ketone		20	4	4
Parker-O-Lube		20	1	4
Parker-Super-O-Lube		20	1	1
Peanut oil		20	1	2
Pectin		20	1	1
Pentachlorodiphenyl		60	4	4
Pentane		20	1	4
n-Pentane		20	1	4
Pentanol		20	2	1
Perchlorate acid		20	4	2
Perchlorate acid		100	4	1
Perchloric Acid		20	4	2
Perchloroethylene		20	4	4
Perchloroethylene		50	4	4
Perchloroethylene		60	4	4
Perfekthlon S		20	4	-
Petrol/benzene/ethanol, 50/30/20%		20	4	4
Petroleum		20	1	4
Petroleum		60	1	4
Petroleum (also Sour Crude Oil)		20	1	4
Petroleum based		60	1	4
Petroleum ether		20	1	4
Petroleum ether		60	1	4
Phenol C		4	1	2
	aqueous, until 90%	80	4	4
Phenyl ethyl ether		20	4	4
Phenylbenzene		20	4	4
Phenylhydrazine		20	1	1
Phenylhydrazine		60	2	4
Phenylhydrazine-Chlorohydrate,				
	aqueous	20	1	1
	aqueous	80	2	1
Phoron (varnish-solvent)		20	4	1
Phosgene		20	-	-
	liquid	20	1	1
	gaseous		1	1
Phosphoric acid,				
	<45 %	20	1	1
	concentrated	20	1	1
	concentrated	80	4	1
	aqueous	60	4	1
Phosphorous oxychloride		20	4	-
Phosphorous oxychloride		60	4	-
Phosphorous trichloride		20	4	1

Phosphorus hydrogen		20	4	1
Photographic developers		40	1	1
Photographic emulsions		20	1	1
Photographs fixing baths		40	1	1
Phthalic acid anhydride		20	1	-
Phthalic acid, aqueous		60	1	1
Picric acid		20	2	2
Picric acid, aqueous		20	1	1
Pig-fat		60	1	-
Pimple solution		20	-	2
Pine needle oil		60	1	4
Pine oil		20	2	4
Pine Oil		20	1	4
Pinene		20	2	-
Piperidine		20	4	4
Polyran				
	M 25 NS	80	4	-
	M 400	80	1	-
Polyvinyl acetate emulsion		20	-	1
Potash, aqueous		20	2	1
Potash, aqueous		40	1	1
Potassium acetate, aqueous		20	1	1
Potassium bisulfate, aqueous		40	1	1
Potassium borate, aqueous		60	1	1
Potassium bromate, 10%,		60	1	1
	20%	20	1	1
Potassium bromide, aqueous		60	1	1
Potassium carbonate, aqueous		40	1	1
Potassium chlorate, aqueous		60	4	1
Potassium chloride, aqueous		60	1	1
Potassium chromate, aqueous		20	2	1
Potassium cupro cyanide		20	1	1
Potassium cyanide, aqueous		40	1	1
Potassium cyanide, aqueous		80	2	1
Potassium cyanide, aqueous		20	1	1
Potassium dichromate, 40% aqueous		20	2	1
Potassium hydroxide		20	2	1
Potassium hydroxide		20	2	1
Potassium Iodide, aqueous		20	1	1
Potassium iodide, aqueous		60	1	1
Potassium nitrate, aqueous		60	1	1
Potassium perchlorate, aqueous		60	4	1
Potassium perchlorate, aqueous		80	4	1
Potassium permanganate, aqueous		40	4	1
Potassium persulfate, aqueous		60	4	1
Potassium sulfate, aqueous		60	1	1
Potassium sulfite		20	1	1
Potassium-aluminum-sulfate, aqueous Å		20	2	1
Premium petrol		20	2	4

Pressure liquids				
in compliance with DIN 51524 and DIN 51525				
	Group H	20	1	4
	Group HL	20	1	4
	Group HLP	20	1	4
Prestune antrifreezing		20	1	1
PRL High temperature hydraulic oil		20	2	4
Propane, gaseous,		20	1	-
Propane, liquid		20	1	2
Propanol (1)		20	1	1
Propanol (1)		50	1	1
i-Propanol (Isopropyl alcohol)		60	2	1
n-Propanol		60	2	1
Propanone		20	4	1
Propargyl alcohol, aqueous		60	1	1
Propionic acid		20	1	2
Propionic acid		60	1	-
Propionic acid, aqueous		60	1	-
Propionic nitrile		20	1	4
Propyl acetate		20	4	2
n-Propyl acetone		20	4	1
Propyl alcohol (Propanol)		20	1	1
Propyl alcohol (Propanol)		50	1	1
Propylene		20	4	4
Propylene glycol		20	2	1
Propylene glycol		60	1	1
Propylene oxide		20	4	2
Propylic nitrate		20	4	2
Prussic acid		20	2	1
Pydraul		20	-	2
	C	20	4	4
	E	20	4	2
	FG	80	4	-
Pyranol		20	1	4
Pyridine		20	4	-
Pyrogard 42, 43, 53, 55		20	4	1
Pyrogard C, D		20	1	4
Pyroligneous oil		20	1	4
Pyrolube		20	4	2
Pyrrole		20	-	4
Radioactive radiation		20	2	1
Red Line 100 oil		20	1	4
Red Oil (MIL-H-5606)		20	1	4
Refrigerants in accordance with DIN 8962				
	R 11	20	2	4
	R 12	20	1	2
	R 13	20	1	1
	R 13 B1S	20	1	1

	R 14	20	1	1
	R 21	20	4	4
	R 22	20	4	1
	R 31	20	4	1
	R 32	20	1	1
	R 112	20	2	4
	R 113	20	1	4
	R 114	20	1	1
	R 114 B2S	20	2	4
	R 115	20	1	1
	142b	20	1	1
	152A	20	1	1
	218	20	1	1
	C316	20	1	1
	C318	20	1	1
	Further refrigerants see Freon			
	25558)	20	1	4
	RP-I (MIL-R-25576)	20	1	4
SAE 10		20	1	4
	No. 3661	20	1	4
	All available fats	20	1	4
Sagrotan		20	2	1
Salicylic acid		20	1	1
Salt water		20	1	1
Santo Safe 300		20	4	2
Sea salted water		20	1	1
Sea water		20	1	1
Sea water		90	1	1
See salt water, containing chlorine		20	4	4
Sewage		20	1	1
Sewage		20	1	1
Shell 3 X F Mine Fluid		20	1	4
Shell Carnea 19 and 29		20	1	4
Shell Diala		20	1	4
Shell Iris 905		20	1	4
Shell Lo Hydrax 27 and 29		20	1	4
Shell Macoma 72		20	1	4
Shell Tellus No. 27, petroleum based		20	1	4
Shell Tellus No. 33		20	1	4
Shell UMF (5% aromatic)		20	1	4
Shell-Alvania fat No. 2		20	1	4
Silica, aqueous		60	1	1
Silicafluoride hydrogen acid, aqueous		60	1	1
Silicate ester		20	2	4
Silicone grease		20	1	1
Silicone oil		20	1	1
Silver nitrate,		20	2	1
	aqueous	60	1	1

	aqueous	100	2	1
Silver salts, aqueous		20	-	1
Silver salts, aqueous		60	2	1
Sinclair Opaline CX-EP Lube		20	1	4
Skelly, Solvente B, C, E		20	1	4
Skydrol				
	500	20	4	1
	7000	20	4	1
Soap solution, aqueous		20	1	1
Soap solution, aqueous		60	1	1
Socony Mobile type AT		20	1	4
Socony Vacuum AMV AC 781		20	1	4
Socony Vacuum PD 959 B		20	1	4
Soda,				
	aqueous	20	1	1
	aqueous	40	1	1
	aqueous	60	1	1
Sodium acetate, aqueous		20	2	1
Sodium benzoate				
	aqueous, 36%	40	1	1
	aqueous, 36%	60	1	-
	aqueous, saturated	40	1	-
Sodium benzoate,				
	aqueous 36%	40	1	1
	aqueous 36%	60	1	-
Sodium benzoate,				
	aqueous, saturated	40	1	-
Sodium bicarbonate		60	1	1
Sodium bicarbonate, aqueous		60	1	1
Sodium bisulfate, aqueous		20	1	1
Sodium bisulfite, aqueous		20	4	1
Sodium bisulfite, aqueous		100	1	1
Sodium borate, aqueous		20	1	1
Sodium cake		20	1	1
Sodium carbonate, aqueous		20	1	1
Sodium chlorate		20	4	1
Sodium chlorate, aqueous		20	2	1
Sodium chlorate, aqueous		60	4	1
Sodium chloride		100	1	1
Sodium chlorite, aqueous		20	1	1
Sodium chlorite, aqueous		20	4	1
Sodium cyanide, aqueous		20	1	1
Sodium dichromate, aqueous		20	1	-
Sodium hydroxide		20	2	1
Sodium hydroxide		50	4	-
Sodium hydroxide		20	2	1
Sodium hydroxide		50	4	-
Sodium hypochlorite, aqueous		20	2	1

Sodium metaphosphate Å		20	1	1
Sodium metasilicate		20	1	1
Sodium nitrate, aqueous		20	2	1
Sodium nitrate, aqueous		60	1	1
Sodium nitrite		20	4	1
Sodium nitrite		60	2	1
Sodium perborate		20	2	1
Sodium peroxide		20	2	1
Sodium phosphate		20	1	1
Sodium phosphate, aqueous		60	1	1
sodium silicate		20	1	1
Sodium silicate, aqueous		20	1	1
Sodium silicate, aqueous		60	1	1
Sodium sulfite		20	1	1
Sodium sulphate, aqueous		20	1	1
Sodium sulphate, aqueous		60	1	1
Sodium sulphide		20	1	1
Sodium sulphide		40	1	1
Sodium sulphide		100	2	1
Sodium tetraborate (borax)		20	2	1
Sodium thiosulfate		20	2	1
Sodium thiosulfate		60	4	1
Solvents containing chlorine				
	dry	20	4	4
	wet	20	4	4
Sour Crude Oil		150	2	4
Sour Crude Oil + NACE A, B		150	2	4
Sour gasoline ether		60	-	-
Sovasol				
	Nr. 1, 2 and 3	20	1	4
	Nr. 73 and 74	20	2	4
Soybean-oil		20	1	4
Spermaceti		20	1	4
Spindle-oil		20	1	4
Spindle-oil		60	1	4
Spirits		20	1	1
Spry		20	1	2
Standard Oil Mobilube,				
	GX 90-EP Lube	20	1	4
Starch, aqueous		20	1	1
Starch, aqueous		60	1	1
Starch-syrup		60	1	1
Stauffer 7700		20	2	4
Steam		110	2	1
Steam		130	4	1
Steam		>150	4	2
Steam		150	4	1
Steam		180	4	2
Stearic acid		20	1	1
Stearic acid		60	2	2

Stoddard-Solvent		20	1	-
Styrol		20	4	4
Succinic acid		20	1	1
Succinic acid, aqueous		60	1	1
Sugar beet juice		20	1	1
Sugar beet juice		60	1	1
Sugar beet-spirit		20	1	1
Sugar syrup		60	1	1
Sugarcane-solution		20	1	1
Sugarcane-spirit		20	1	1
Sugar-liquors		20	1	1
Sulfite lye		20	2	2
Sulfur		60	-	1
	liquid	60	4	2
Sulfur chloride		20	4	4
Sulfur chloride		20	4	4
Sulfur dioxide, dry		20	4	1
Sulfur dioxide, dry		80	4	1
aqueous		60	4	1
Sulfur hexafluoride		20	1	1
Sulfur hydrogen				
	dry	20	4	1
	dry	60	2	1
	dry	80	2	1
	aqueous	20	2	1
	aqueous	80	2	1
Sulfur trioxide		20	4	2
Sulfuric acid 10%		20	4	1
Sulfuric acid 10%		60	1	1
	25%	60	1	1
	50%	60	4	1
	60%	20	4	4
	75%	60	4	1
	95%	20	4	4
	96%	60	4	4
	fuming	20	4	4
Sulfuric acids		20	2	2
Sulfuryl chloride		20	4	2
Sulphite lye		20	4	1
Sulphite lye		50	2	1
Sunoco				
Sunsafe,				
	(Hydraulics-liquid, fire resistants)	20	1	4
Tallow		60	1	4
Tan extracts		20	1	1
Tannic acid		60	1	1
Tannin		40	2	1
Tannin		60	1	1
Tar		20	4	4

Tar oil		20	4	4
Tartaric acid,		20	1	1
Tartaric acid, aqueous		60	1	1
	bleach	20	1	2
	bleach	100	2	1
Tectal (raw tar-acid)		20	4	4
Terpineol		20	2	2
Test-benzine (Nitrobenzine)		20	1	4
Test-benzine (Nitrobenzine)		60	1	4
Tetrabromomethane		20	4	4
Tetrabutyl titanate		20	2	1
Tetrachlorethylene		50	4	4
Tetrachlorethylene		60	4	4
Tetrachloroacetylene		20	4	1
Tetrachloroethane		60	4	4
Tetrachloromethane		20	4	4
Tetraethyl lead		20	2	4
Tetrahydrofuran		20	4	4
Tetrahydronaphtalene				
	(Tetralene)	20	4	4
Texaco				
	Capella A and AA	20	1	4
	Meropa No. 3	20	1	4
	3450 mechanism oils	20	1	4
	Shelf B	20	1	4
	Uni-Temp. Lubricant	20	1	4
	Texamatic "A" Transmission-Oil	20	1	4
	Fluid 1581 Å	20	1	4
	Fluid 3401	20	1	4
	Fluid 3525	20	1	4
	Fluid 3528	20	1	4
Thiokol				
	TP 90 BS (polyester plasticiser)	20	4	1
	TP 95	20	4	1
Thionylchloride		20	4	1
Thiophene		20	1	4
Thiophene		60	4	4
Tidewater				
	Oil-Beedol	20	1	4
	Multigear 140, EP Lube	20	1	4
Tin(II)-chloride		20	1	1
Tin(II)-chloride, aqueous		20	1	1
Tin(II)-chloride, aqueous		80	1	1
Tin(IV) chloride		20	1	1
Tin(IV) chloride 50%		20	1	1

Tincture of iodine		20	1	1
Titan-tetrachloride		20	1	1
Toluol		20	4	4
Toluylendiisocyanate		20	4	2
Transmission Fluid type A		20	1	4
Triacetin		20	2	1
Triacrylphosphate Å		20	4	1
Tributoxyethyl phosphate Å		20	4	4
Tributylmercaptane		20	4	4
Tributylphosphate Å		20	4	1
Tributylphosphate Å		60	4	4
Trichloroacetic acid		20	1	1
Trichloroacetic acid, aqueous		60	2	2
Trichloroethane		20	2	1
Trichloroethyl phosphate Å		20	4	-
Trichloroethylene		20	4	4
Trichloromethane		20	4	4
Tricresyl phosphate Å		20	4	1
Tricresyl phosphate Å		60	4	2
Trieth anolamine		20	4	2
Triethyl aluminium		20	-	-
Triethyl amine		20	2	4
Triethyl borane		20	-	-
Triethyl glycol		20	1	1
Triethylene glycol		20	1	1
Trifluoroethane		20	4	4
Triglycol		20	1	1
Trilisopropyl benzene		20	1	4
Trimethyl propane, aqueous		100	4	2
Trinatrium phosphate Å		20	1	1
Trinitrotoluene		20	-	-
Trioctyl phosphate Å		20	4	1
Trioctyl phosphate Å		60	4	2
Tripen		20	4	4
Tripoly phosphate		20	4	1
Turbine oil, mineral		20	1	4
	No. 15 (MIL-L-7808A)	20	2	4
Turbo-oil No. 35		20	1	4
Turpentine		20	4	4
Turpentine		60	2	4
Turpentine oil		20	2	4
Ucon				
	Hydrolube 275 CP	80	1	-
	Hydrolube J-4	20	1	1
	Grease LB-65	20	1	1
	Grease LB-135	20	1	1
	Grease LB-285	20	1	1
	Grease LB-300X	20	1	1
	Grease LB-625	20	1	1

	Grease LB-1145	20	1	1
	Grease 50-HB55	20	1	1
	Grease 50-HB-100	20	1	1
	Grease 50-HB-260	20	1	1
	Grease 50-HB-660	20	1	1
	Grease 50-HB-5100	20	1	1
	Oil LB-385	20	1	1
	Oil LB-400X	20	1	1
	Oil 50-HB-280X	20	1	1
Univis 40 (Esso)		20	1	4
Univolt No. 35 (Mineral oil)		20	1	4
Unleaded benzine		20	1	4
	Premium petrol	20	2	4
Urea, aqueous		40	1	1
Urea, aqueous		60	1	1
Urine		20	1	1
Varnish		20	2	4
Varnish		20	2	4
Vaseline		60	1	4
Vaseline oil		20	1	1
Vaseline oil		60	1	4
Vegetable oils		40	1	2
Vellosolve acetate		20	4	2
Versilube F-500		20	1	1
Vinegar (acetic acid)				
	aqueous, 3,5 to 5%		1	1
	10%	50	4	4
	26 to 60%	60	4	1
Vinyl acetylene		20	1	1
Vinylidene chloride		20	2	4
Wagner 21 B brake fluids		20	2	1
Wash lyes		20	1	1
Water		80	1	1
Water		100	1	1
	distillate	50	1	1
	cold	20	1	1
	Seewater	20	1	1
Water 50/15/35%,		40	4	-
Wax-alcohol		20	1	4
Wax-alcohol		60	1	4
Wemco C		20	1	4
Whisky		20	1	1
White oil		20	1	-
White Pine oil		20	1	4
Wine		20	1	1
Wolman salt (wood-impregnant)		20	1	1

Wood alcohol (methanol)	20	1	1
Wood alloy	90	-	1
Wood oil (Chinese Wood-oil)	20	1	4
Wood vinegar	20	4	2
Wool-fat	20	1	4
Wool-fat	50	1	1
Xenon	20	1	1
Xylamon	20	4	4
Xyliden	20	4	4
Xylidine (mixture of aromatic Amine)	20	2	4
Xylol	20	4	4
Yeast, aqueous	20	1	1
Zeolite	20	1	1
Zinc acetate	20	2	1
aqueous	20	2	1
Zinc chloride, aqueous	40	1	1
Zinc chlorite, aqueous	20	1	1
Zinc sulfate, aqueous	20	1	1